

Certificate OEKO-TEX® ECO PASSPORT

DAYKEM SRL

is granted the OEKO-TEX® ECO PASSPORT certification and the right to use the trademark.

TYPE

ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

3.1 Finishing agents

The above captioned products can be used for the production of human-ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.





ECO PASSPORT

21EP00015

This certificate 21EP00015 is valid until 30.09.2024.

SUPPORTING DOCUMENTS

- ✓ Test Report Number: 23RA11010
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- ✓ RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- ✓ Self-Assessment Report
- On-Site Visit Report

Chiara Salmoiraghi
OEKO-TEX® Certification Scheme Manager



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00015

TEST REPORT NUMBER

23RA11010

| No. | Product Name | Trade Name | Restriction(s) ¹ | ZDHC LEVEL | Product Category |
|-----|------------------|------------|-----------------------------|------------|----------------------|
| 1 | ANTISTAT 337 | | none | Level 3 | 3.1 Finishing agents |
| 2 | BIOPAL 377 | | none | Level 3 | 3.1 Finishing agents |
| 3 | BIOSOL 190 | | none | Level 3 | 3.1 Finishing agents |
| 4 | BIOSOL ULTRA 397 | | none | Level 3 | 3.1 Finishing agents |
| 5 | BLANCOKEM 157 | | none | Level 3 | 3.1 Finishing agents |
| 6 | CATALYST 788 | | none | Level 3 | 3.1 Finishing agents |
| 7 | CHEMOFOL 195 | | none | Level 3 | 3.1 Finishing agents |
| 8 | CHEMOFOL 220 | | none | Level 3 | 3.1 Finishing agents |
| 9 | CHEMOPAL 114 | | none | Level 3 | 3.1 Finishing agents |
| 10 | CHEMOPAL 858 | | none | Level 3 | 3.1 Finishing agents |
| 11 | DAYSOFT 314 | | none | Level 3 | 3.1 Finishing agents |
| 12 | DAYSOFT 329 | | none | Level 3 | 3.1 Finishing agents |
| 13 | DAYSOFT 332 | | none | Level 3 | 3.1 Finishing agents |
| 14 | DAYSOFT 396 | | none | Level 3 | 3.1 Finishing agents |
| 15 | DAYSOFT 406 | | none | Level 3 | 3.1 Finishing agents |
| 16 | DINAMIN 197 | | none | Level 3 | 3.1 Finishing agents |
| 17 | ECODROP 503 | | none | Level 3 | 3.1 Finishing agents |
| 18 | EXTRASOFT 438 | | none | Level 3 | 3.1 Finishing agents |
| 19 | EXTRASOFT 870 | | none | Level 3 | 3.1 Finishing agents |
| 20 | IPERPOND 841 | | none | Level 3 | 3.1 Finishing agents |
| 21 | KEMOPOL 623 | | none | Level 3 | 3.1 Finishing agents |
| 22 | MICROSOFT 771 | | none | Level 3 | 3.1 Finishing agents |
| 23 | MICROSOFT 773 | | none | Level 3 | 3.1 Finishing agents |
| 24 | MICROSOFT 786 | | none | Level 3 | 3.1 Finishing agents |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00015

TEST REPORT NUMBER

23RA11010

| No. | Product Name | Trade Name | Restriction(s) ¹ | | Product Category |
|-----|-----------------|------------|-----------------------------|---------|----------------------|
| 25 | MORBICRIL 800 | | none | Level 3 | 3.1 Finishing agents |
| 26 | MORBIDOL 605 | | none | Level 3 | 3.1 Finishing agents |
| 27 | MORBIDOL 639 | | none | Level 3 | 3.1 Finishing agents |
| 28 | MORBILUX 784 | | none | Level 3 | 3.1 Finishing agents |
| 29 | MORBILUX 846 | | none | Level 3 | 3.1 Finishing agents |
| 30 | MORBISOFT 335 | | none | Level 3 | 3.1 Finishing agents |
| 31 | MORBISOFT 366 | | none | Level 3 | 3.1 Finishing agents |
| 32 | MORBISOFT 375 | | none | Level 3 | 3.1 Finishing agents |
| 33 | NANOFIN 144 | | none | Level 3 | 3.1 Finishing agents |
| 34 | NOVACEL 141 | | none | Level 3 | 3.1 Finishing agents |
| 35 | NOVACEL 151 | | none | Level 3 | 3.1 Finishing agents |
| 36 | NOVACEL 322 | | none | Level 3 | 3.1 Finishing agents |
| 37 | NOVACEL 390 | | none | Level 3 | 3.1 Finishing agents |
| 38 | NOVACEL 895 | | none | Level 3 | 3.1 Finishing agents |
| 39 | NOVASIL 302 | | none | Level 3 | 3.1 Finishing agents |
| 40 | NOVASIL 333 | | none | Level 3 | 3.1 Finishing agents |
| 41 | NOVASIL BIO 450 | | none | Level 3 | 3.1 Finishing agents |
| 42 | PERMANTEX 768 | | none | Level 3 | 3.1 Finishing agents |
| 43 | RESICRIL 320 | | none | Level 3 | 3.1 Finishing agents |
| 44 | RESICRIL 753 | | none | Level 3 | 3.1 Finishing agents |
| 45 | RESICRIL 807 | | none | Level 3 | 3.1 Finishing agents |
| 46 | REX 897 SF | | none | Level 3 | 3.1 Finishing agents |
| 47 | SUPERMODAL 244 | | none | Level 3 | 3.1 Finishing agents |
| | | | | | |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Certificate OEKO-TEX® ECO PASSPORT

DAYKEM SRL

is granted the OEKO-TEX® ECO PASSPORT certification and the right to use the trademark.

TYPE

ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

1.3 Textile auxiliaries for dyeing and printing

The above captioned products can be used for the production of human–ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.





ECO PASSPORT

21EP00025

This certificate 21EP00025 is valid until 30.11.2024.

SUPPORTING DOCUMENTS

- Test Report Number: 23RA14319
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- ✓ RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- Self-Assessment Report
- On-Site Visit Report

Chiara Salmoiraghi
OEKO-TEX® Certification Scheme Manager



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00025

TEST REPORT NUMBER

23RA14319

| No. 1 | Product Name ANTIRIDUCENTE 135 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|-----------------|-----------------------------------|------------|-------------------------------------|-----------------------|--|
| 2 | ANTIRIDUCENTE 869 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 3 | BIOPAL 150 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 4 | BIOPAL 161 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 5 | BLUEPREP 851 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 6 | CHEMOFIX 401 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER

21EP00025

TEST REPORT NUMBER

23RA14319

| No. 7 | Product Name CHEMOFIX 481 | Trade Name | Restriction(s) ¹ Formaldehyde | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|--------------|------------------------------|------------|--|------------------------------|--|
| 8 | CHEMOFIX 504 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 9 | DAYSOL 159 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 10 | DAYSOL 350 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 11 | DAYSOL 351 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 12 | DAYSOL 389 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPE CERTIFICATE NUMBER

21EP00025

TEST REPORT NUMBER

23RA14319

Certified Products

ECO PASSPORT with On-Site Visit

| No. 13 | Product Name DISPERDENTE 628 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|---------------|-------------------------------------|------------|-------------------------------------|-----------------------|--|
| 14 | DISPERGAL B | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 15 | DISPERSOL 646 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 16 | DISPERSOL 671 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 17 | DONER 121 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 18 | EGALENE 149 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00025

TEST REPORT NUMBER

23RA14319

| No. 19 | Product Name EGALIN 175 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|---------------|-----------------------------------|------------|-------------------------------------|------------------------------|--|
| 20 | EGALIN 506 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 21 | EGALIN 527 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 22 | EGALIN 811 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 23 | EGALIN 815 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 24 | EGALIN 816 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00025

TEST REPORT NUMBER

23RA14319

| No. 25 | Product Name EGALIN 830 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|---------------|-----------------------------------|------------|-------------------------------------|------------------------------|--|
| 26 | NEUTROSOL 878 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 27 | NEUTROSOL 901 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 28 | NOVALENE 110 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 29 | NOVALENE 112 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 30 | NOVALENE 113 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER

21EP00025

TEST REPORT NUMBER

23RA14319

| No. 31 | Product Name POLYSTRIP 465 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|---------------|-----------------------------------|------------|-------------------------------------|-----------------------|--|
| 32 | PROTECTOL 490 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 33 | PROTELAN 462 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 34 | REDUXIN 796 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 35 | REDUXIN 797 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 36 | SAPOL 612 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00025

TEST REPORT NUMBER

23RA14319

| No. 37 | Product Name SAPOL 619 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.3 Textile auxiliaries for dyeing and printing |
|---------------|---------------------------|------------|-------------------------------------|-----------------------|--|
| 38 | SAPOL 803 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 39 | SAPOL 844 IS | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 40 | SAPOLJET 817 | | Formaldehyde | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |
| 41 | UGUALIZZANTE 602 | | none | Level 3 | 1.3 Textile auxiliaries for dyeing and printing |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Certificate OEKO-TEX® ECO PASSPORT

DAYKEM SRL

is granted the OEKO-TEX® ECO PASSPORT certification and the right to use the trademark.

TYPE

ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

1.1 Agents for fibre and yarn production

The above captioned products can be used for the production of human-ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.





ECO PASSPORT

21EP00033

This certificate 21EP00033 is valid until 31.12.2024.

SUPPORTING DOCUMENTS

- ✓ Test Report Number: 23RA14439
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- ✓ RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- ✓ Self-Assessment Report
- On-Site Visit Report

Chiara Salmoiraghi
OEKO-TEX® Certification Scheme Manager



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER

21EP00033

TEST REPORT NUMBER

23RA14439

| No. 1 | Product Name ANTISTATICO 263 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.1 Agents for fibre and yarn production |
|-----------------|-------------------------------------|------------|-------------------------------------|-----------------------|---|
| 2 | DINATEX 422 | | none | Level 3 | 1.1 Agents for fibre and yarn production |
| 3 | DINATEX 424 SUPER | | none | Level 3 | 1.1 Agents for fibre and yarn production |
| 4 | FILOIL 258 | | none | Level 3 | 1.1 Agents for fibre and yarn production |
| 5 | FILOIL 261 | | none | Level 3 | 1.1 Agents for fibre and yarn production |
| 6 | FILOIL 271 | | none | Level 3 | 1.1 Agents for fibre and yarn production |
| 7 | KEMOIL 274 | | none | Level 3 | 1.1 Agents for fibre and yarn production |
| 8 | OLEOFIL 300 | | none | Level 3 | 1.1 Agents for fibre and yarn production |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Certificate OEKO-TEX® ECO PASSPORT

DAYKEM SRL

is granted the OEKO-TEX® ECO PASSPORT certification and the right to use the trademark.

TYPE

ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

1.2 Agents for fabric production

The above captioned products can be used for the production of human–ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.





ECO PASSPORT

21EP00034

This certificate 21EP00034 is valid until 31.12.2024.

SUPPORTING DOCUMENTS

- ✓ Test Report Number: 23RA14448
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- ✓ RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- ✓ Self-Assessment Report
- ✓ On-Site Visit Report

Chiara Salmoiraghi
OEKO-TEX® Certification Scheme Manager



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00034

TEST REPORT NUMBER

23RA14448

| No. 1 | Product Name BIOSIZE HT GO 711 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 1.2 Agents for fabric production |
|-----------------|--|------------|-------------------------------------|-----------------------|---|
| 2 | BLUEPREP 739 | | none | Level 3 | 1.2 Agents for fabric production |
| 3 | NOVASTABIL 457 | | none | Level 3 | 1.2 Agents for fabric production |
| 4 | NOVASTABIL 823 | | none | Level 3 | 1.2 Agents for fabric production |
| 5 | SBOZZIMANTE 458 | | none | Level 3 | 1.2 Agents for fabric production |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Certificate OEKO-TEX® ECO PASSPORT

DAYKEM SRL

is granted the OEKO-TEX® ECO PASSPORT certification and the right to use the trademark.

TYPE

ECO PASSPORT with On-Site Visit

PRODUCTS

See attached enclosure

PRODUCT CATEGORY

3.5 Technical auxiliaries for multipurpose use

The above captioned products can be used for the production of human-ecological optimized textiles & leathers.

The combined results of the reports mentioned above reveal that there is no harmful effect on the human and environmental health of the textiles & leathers treated/finished with the certified products.

ZDHC MRSL 3.1 Conformance Level 3 is achieved for certified products unless indicated otherwise.

Further compliance information (REACH, SVHC, POP etc.) can be found on oeko-tex.com/en/faq.

The certificate is based on the test methods and requirements of the OEKO-TEX* ECO PASSPORT that were in force at the time of evaluation.





ECO PASSPORT

21EP00035

This certificate 21EP00035 is valid until 31.12.2024.

SUPPORTING DOCUMENTS

- ✓ Test Report Number: 23RA14460
- Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX*
- ✓ RSL Screening Report
- Detailed information about the components and safety data sheets of the certified chemical products
- Self-Assessment Report
- On-Site Visit Report





Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00035

TEST REPORT NUMBER

23RA14460

| No. 1 | Product Name ANTISCHIUMA 196 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 3.5 Technical auxiliaries for multipurpose use |
|-----------------|---------------------------------|------------|-------------------------------------|-----------------------|---|
| 2 | ANTISCHIUMA 218 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 3 | ANTISCHIUMA 876 JET | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 4 | BIOLAN 288 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 5 | BIOSOL 361 AN | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 6 | CHELASOL 130 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 7 | CHELASOL 142 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 8 | CHELASOL 301 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.



Enclosure

TYPEECO PASSPORT with On-Site Visit

CERTIFICATE NUMBER 21EP00035

TEST REPORT NUMBER

23RA14460

| No. 9 | Product Name CHELASOL 318 | Trade Name | Restriction(s) ¹ none | ZDHC LEVEL Level 3 | Product Category 3.5 Technical auxiliaries for multipurpose use |
|-----------------|------------------------------|------------|-------------------------------------|-----------------------|--|
| 10 | CHELASOL 475 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 11 | CHELASOL 787 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 12 | CHEMOSOL 341 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 13 | CHEMOSOL 343 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 14 | IMBIBENTE 223 SPECIAL | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 15 | SEQUESTRANTE 873 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |
| 16 | SOLVEPAL 148 | | none | Level 3 | 3.5 Technical auxiliaries for multipurpose use |

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX° STANDARD 100 / OEKO-TEX° LEATHER STANDARD.

DAYKEM SRL via Galcianese 21/H4 59100 PRATO, ITALY



CENTRO TESSILE COTONIERO E ABBIGLIAMENTO S.p.A. Piazza Sant' Anna 2 21052 Busto Arsizio VA, Italy

Enclosure

TYPE ECO PASSPORT with On-Site Visit **CERTIFICATE NUMBER**

TEST REPORT NUMBER

23RA14460

Certified Products

No. Product Name **SOLVEPAL 165** **Trade Name**

21EP00035

Restriction(s)¹ none

Level 3

ZDHC LEVEL Product Category

3.5 Technical auxiliaries for multipurpose use

¹ Restriction(s): The parameter(s) mentioned under Restriction(s) have to be checked on the treated textile for compliance with the regulations of OEKO-TEX* STANDARD 100 / OEKO-TEX* LEATHER STANDARD.